

# Accumulators

**RTP** – Projection Style  
**RTS** – Slim Line Style  
**VA** – Vertical Accumulator

## STANDARD FEATURES

- Manufactured in USA
- **Exclusive Maintenance Free Chain**
- 2-5 tier capacity
- Heavy duty construction – Accumulator frame constructed from 12 gauge stainless steel
- All 304 stainless steel construction with a #4 finish
- Carriers removable without tools
- Custom wireform basket designs with optional stainless steel liners
- TEFC Drive Motor accessible without removing carriers
- Photo eye safety switch
- Adjustable speed control in NEMA 4 control cabinet with programmable AC inverter
- Stainless steel 304 window frame and lights
- Stainless steel 304 table at drop off window
- Unit supported on 1-5/8" diameter 16 gauge wall polished stainless steel tubular legs with *fully welded* 1-5/8" cross bracing
- Frame is enclosed with 16-gauge stainless steel #4 finish panels with no visible attaching hardware at drop off window
- Simple bolt up installation
- Load-carry of Carriers is 100lbs. each
- **Tray or Tray-less application**

### MAINTENANCE FREE CHAIN DESIGN



Our rotary accumulator is a SPROCKETLESS design that is virtually maintenance free. This exclusive maintenance free chain never has to be adjusted in order to maintain operation. A heavy-duty low friction conveyor chain, consisting of load bearing and guiding wheels, rides in a heavy-duty stainless steel enclosed track on the straight and curve sections.




## SPECIFIER STATEMENT

Every system is designed, built and tested by the same team to ensure the highest of quality. The Bi-Line Accumulator utilizes Caterpillar stainless steel chain supported in a thick stainless steel tube that will prevent stretching therefore not needing maintenance and carries a standard 5 year warranty. Standard drop off table and sight and sound barrier make the accumulator pleasing and quiet from the cafeteria. A variable speed control is standard in the NEMA 4 rated control panel.


## RTP – PROJECTIONS STYLE




## RTS – SLIM LINE STYLE



## SIDE VIEW





## VA – VERTICAL ACCUMULATOR



TOP VIEW

SIDE VIEW



FRONT VIEW

## OPTIONS & ACCESSORIES

- Custom size and shape per plan
- Select the number of carriers (minimum 8 carriers)
- 1, 2, 3, 4, or 5 tiers for carries
- Stainless steel liners for each tier (tray-less operation)
- Slim or projection style operation
- Obstruction free pre-rinse sprays
- Integral trough
- Mobile tables
- Sliding work shelves
- Seismic bolt down feet
- Gushers at drop off window
- Mobile soak sink
- Full tabling at drop off window
- Perforated pan at drop off window
- Skate wheels (for trough)
- Wash down hose with reel
- Trough magnets
- Trough bridges
- Disposer cover for trough



Pre-rinse spray



Stainless steel liners



Control panel